


10/608 458

COFC



Attorney's Docket No. 860-017-006

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: US 6,843,108 B1

Issued: January 18, 2005

Name of Patentee: Mitchell Hunt

Title of Invention: HYDROSTATIC TEST PLUG FOR WATER SERVICE LINE

Assistant Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

ATTENTION: Decision and Certificate of Correction  
Branch of the Patent Issue Division

Certificate  
OCT 11 2005  
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT  
FOR PTO MISTAKE (37 CFR 1.322(a))

1. Attached in duplicate is Form PTO-1050 with at least one copy being suitable for printing.

NOTE: Form PTO-1050, using the column and line number in the printed patent, should be used exclusively regardless of the length or complexity of the subject matter. MPEP § 1485.

NOTE: The patent grant should be retained by the patentee. The PTO does not attach the certificate of correction to the patentee's copy of the patent. The patent grant will be returned to the patentee if submitted. MPEP § 1485.

2. The exact page and line number where the errors are shown correctly in the application file are:

NOTE: This information should be identified in this request, however, on Form PTO-1050, only the column and line number in the printed patent should be used. MPEP § 1485.

1. Application filed June 27, 2003, page 18, line 2.
2. Application filed June 27, 2003, page 9, line 2.
3. Amendment filed September 1, 2004, page 6, line 3.

By James R. Frederick  
James R. Frederick (Reg. No. 25,865)  
Attorney for the Applicant  
WARE, FRESSOLA, VAN DER SLUYS  
& ADOLPHSON LLP  
Bradford Green, Bldg. Five  
755 Main St., P.O. Box 224  
Monroe, CT 06468  
Tel. No.: (203) 261-1234

I hereby certify that this correspondence is being deposited today with the U.S. Postal Service as First Class mail in an envelope addressed to: Assistant Commissioner for Patents, U.S. Patent & Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450.

Kathleen Sipos 10/3/05  
Kathleen Sipos Date

OCT 17 2005

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : US 6,843,108

APPLICATION NO.: 10/608,458

ISSUE DATE : 01/18/2005

INVENTOR(S) : Mitchell Hunt

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Abstract, Line 2, "scaling" should be --sealing--

In Column 4, Line 32, "surf ace" should be --surface--

In Column 7, Line 1, "fir" should be --first--

**MAILING ADDRESS OF SENDER (Please do not use customer number below):**

James R. Frederick of Ware, Fressola, Van Der Sluys & Adolphson LLP, Bradford Green, Building Five,  
755 Main Street, Monroe, CT 06468.

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*

OCT 17 2005

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : US 6,843,108

APPLICATION NO.: 10/608,458

ISSUE DATE : 01/18/2005

INVENTOR(S) : Mitchell Hunt

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Abstract, Line 2, "scaling" should be --sealing--

In Column 4, Line 32, "surf ace" should be --surface--

In Column 7, Line 1, "fir" should be --first--

**MAILING ADDRESS OF SENDER (Please do not use customer number below):**

James R. Frederick of Ware, Fressola, Van Der Sluys & Adolphson LLP, Bradford Green, Building Five,  
755 Main Street, Monroe, CT 06468.

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*

OCT 17 2005



Practitioner's Docket No. 860-017.006

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

☐ In re application of:

Application No.: /

Group No.:

Filed:

For:

Examiner:

☒ Patent\*: US 6,843,108 B1

Issued: January 18, 2005

\*NOTE: Insert name(s) of inventor(s) and title also for patent.

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

**LETTER CALLING ATTENTION TO ERROR IN PATENT**

NOTE: "Where errors are of a minor typographical nature or are readily apparent to one skilled in the art, a letter making the error(s) of record can be submitted in lieu of a request for a Certificate of Correction. See M.P.E.P. § 1480 ('... the Office may decline to issue a certificate and merely place the correspondence in the patented file, where it serves to call attention to the matter in case any question as to it subsequently arises.'). There is no fee for such a letter." Notice of September, 17, 2002, 1262 OG 96.

In Column 5, line 10, "lab" should be --tab-- (in Amendment of 9-1-04, page 2, it appears as "lab," but in original application it is "tab.")

Reg. No.: 25,865

Tel. No.: ( 203 ) 261-1234

Customer No.: 004955

  
SIGNATURE OF PRACTITIONER

James R. Frederick

(type or print name of practitioner)

Ware, Fressola, Van Der Sluys

& Adolphson, LLP

P.O. Address

Bradford Green, Building Five

755 Main Street

P.O. Box 224

Monroe, CT 06468

(Letter Calling Attention to Error in Patent [14-4])

OCT 17 2005